





INTRODUCTION

Clen air is the first basic of workplace safety. The most effective aerosol control.

Viruses are spread by respiratory and oral fluids; therefore, the risk of transmission is so high in dentists, beauty centers, massage parlors, and similar businesses.

[TB Virus-Protect] is an air purification device that is designed to filter the aerosol and particles emitted from the mouth and may carry viruses and contaminations.



ADVANTAGES

- 99.995% filtration
- Maximum aerosol capture
- Isolates and protects workers from high virus risk
- Portable
- flexibility
- 3-stage filter system



FILTRATION ORDER

- Pre-filter for large particles,
- GFR System activated carbon that traps odors and gases
- An H14 class HEPA filter that retains at least 99.995% of microparticles, viruses, and bacteria

TECHNICAL
SPECIFICATIONS



Brand	VP100	VP200	VP300
Arm Type	Φ 70 Hinged Arm (Sweden)	Φ 70 Hinged Arm (China)	Φ 70 Flex Arm (China)
Capacity	0 - 280 m³/h	0 - 240 m³/h	0 - 270 m³/h
Filter Sections	M5+ACT+H14; Monoblock	M5+ACT+H14; Monoblock	M5+ACT+H14; Monoblock
Noise Level	Max. 56 dB (A)	Max. 58 dB (A)	Max. 58 dB (A)
Fan	Ø250 EC Motor	Ø250 EC Motor	Ø250 EC Motor
Power Requirement	230V / 50Hz	230V / 50Hz	230V / 50Hz
Electric Consumption	169 W - 1.5 A	169 W - 1.5 A	169 W - 1.5 A
Speed Control	5 Level (Max 280 m³/h)	5 Level (Max 240 m³/h)	5 Level (Max 240 m³/h)
Weight	37 Kg	37 Kg	37 Kg
Security	Door switch	Door switch	Door switch
Certificates	CE mark, (LVD, EMC)	CE mark, (LVD, EMC)	CE mark, (LVD, EMC)
Other	Wheel Lock Particle Measurement Report	Wheel Lock Particle Measurement Report	Wheel Lock Particle Measurement Report Black Colored Arm (Optional)



Lindentahlgürtel 50935 - Cologne / Germany
email: info@terrabiomed.eu